### Exhibit 2

## (12) United States Design Patent (10) Patent No.:

Dyson et al.

**US D715,996 S** (45) **Date of Patent:** \*\* Oct. 21, 2014

(54)	HAIR DR	YER
(71)	Applicant:	<b>Dyson Technology Limited</b> , Wiltshire (GB)
(72)	Inventors:	James Dyson, Bristol (GB); Peter David Gammack, Swindon (GB); Stephen Benjamin Courtney, Bath (GB); Patrick Joseph William Moloney, Swindon (GB); Edward Sebert Maurice Shelton, Swindon (GB)
(73)	Assignee:	<b>Dyson Technology Limited</b> , Malmesbury, Wiltshire (GB)
(**)	Term:	14 Years
(21)	Appl. No.:	29/485,993
(22)	Filed:	Mar. 25, 2014
(30)	Fo	oreign Application Priority Data

(22)	rneu.	Mar. 25, 2014
(30)	Fo	reign Application Priority Data
Se	p. 26, 2013	(EM) 001384796-0003
(51)	LOC (10)	Cl 28-03
(52)	U.S. Cl.	
	CPC	A45D 20/12 (2013.01)
	USPC	D28/13
(58) Field of C		assification Search
	CPC	A45D 20/12
	USPC	D28/12-19; 34/96-101; 392/380-385;
		219/222; D23/238–243
	See applica	tion file for complete search history.

#### (56)**References Cited**

### U.S. PATENT DOCUMENTS

4,350,872 A	9/1982	Meywald et al
4,596,921 A	6/1986	Hersh et al.
4,767,914 A	8/1988	Glucksman
5,133,043 A	7/1992	Baugh

D350,413	$\mathbf{S}$	*	9/1994	Feil D28/13	
D352,365	$\mathbf{S}$	*	11/1994	Hansen et al D28/13	
5,378,882	Α		1/1995	Gong et al.	
5,546,674	Α		8/1996	Lange et al.	
5,572,800	Α		11/1996	West	
5,598,640	A		2/1997	Schepisi	
5,681,630	A		10/1997	Smick et al.	
5,875,562	Α		3/1999	Fogarty	
6,203,349	В1		3/2001	Nakazawa	
6,751,886	B2	*	6/2004	Chang et al 34/96	
6,889,445	В1	*	5/2005	Varona et al 34/97	
D550,813	$\mathbf{S}$	*	9/2007	Lammel et al D23/238	
(Continued)					

#### FOREIGN PATENT DOCUMENTS

CH	588 835	6/1977
CN	200973446	11/2007
	(Co.	ntinued)

#### OTHER PUBLICATIONS

Reba, I. (1966). "Applications of the Coanda Effect," Scientific American 214:84-92.

Primary Examiner — Zenia Bennett

(74) Attorney, Agent, or Firm — Morrison & Foerster LLP

CLAIM

We claim the ornamental design for a hair dryer, as shown and described.

### DESCRIPTION

FIG. 1 is a rear perspective view of a hair dryer showing our new design;

FIG. 2 is a front perspective view thereof;

FIG. 3 is a rear view thereof;


FIG. 4 is a front view thereof;

FIG. 5 is a side view thereof;

FIG. 6 is a top view thereof; and,

FIG. 7 is a bottom view thereof.

#### 1 Claim, 6 Drawing Sheets



# US D715,996 S Page 2

(56) Refer	ences Cited	FR	1387334	1/1965
(50)	enees cited	FR	1408096	8/1965
II C DATEN	IT DOCUMENTS	GB	647291	12/1950
U.S. PATENT DOCUMENTS			953057	3/1964
D646 254 C * 10/20	1 Cara: D22/228	GB GB	1 446 385	8/1976
	1 Gessi D23/238 2 Jackson	GB	1 456 000	11/1976
-,,		GB	1 489 723	10/1977
D696,386 S * 12/20 D702,322 S * 4/20		GB	1 539 485	1/1979
2004/0163274 A1 8/200		GB	2 295 056	5/1996
		GB	2 316 868	3/1998
	95 Mattinger et al. 96 Lin	GB	2472240	2/2011
	77 Abdi et al.	GB	2478927	9/2011
		GB	2482547	2/2012
	0 Mulvaney et al.	GB	2482548	2/2012
	0 Chung et al. 1 Hall	GB	2482549	2/2012
	1 Park	GB	2500798	10/2013
	1 Rodrigues	GB	2500800	10/2013
		GB	2503684	1/2014
2013/0111777 A1 5/20 2013/0269200 A1 10/20		GB	2503685	1/2014
	3 Courtney et al.	GB	2503686	1/2014
	3 Courtney et al.	JP	1-27506	1/1989
	3 Courtney et al 34/97	JР	1-29208	1/1989
		ĴР	4-221507	8/1992
	3 Courtney et al 34/97 3 Moloney et al.	ĴР	5-7507	1/1993
		JР	5-130915	5/1993
	4 Courtney et al.	ĴР	7-16113	1/1995
2014/0007449 A1 1/20	4 Courtney et al.	ĴР	2000-201723	7/2000
DODDIOL DIO		JP	2001-37530	2/2001
FOREIGN PA	ENT DOCUMENTS	JP	2002-238649	8/2002
		JP	2003-153731	5/2003
CN 201328477	10/2009	JP	2004-312	1/2004
CN 201341553	11/2009	JP	2004-113402	4/2004
CN 101292806	10/2010	JP	2004-357763	12/2004
CN 201774080	3/2011	JP	2005-546	1/2005
CN 201948229	8/2011	JP	2006-51181	2/2006
CN 202146022	2/2012	JP	2006-130181	5/2006
CN 202536440	11/2012	JP	2006-181265	7/2006
CN 202774786	3/2013	JP	2007-136121	6/2007
DE 26 18 819	11/1977	JP	2010-274050	12/2010
DE 195 27 111	1/1997	JP	2012-45178	3/2012
DE 10 2009 049 838	4/2011	WO	WO-83/02753	8/1983
EP 0 105 810	4/1984	WO	WO-94/23611	10/1994
EP 0 300 281	1/1989	WO	WO-2004/006712	1/2004
EP 0 306 765	3/1989	WO	WO-2005/120283	12/2005
EP 0 970 633	1/2000	WO	WO-2007/043732	4/2007
EP 1 433 401	8/2004	WO	WO-2008/053099	5/2008
EP 1 616 500	1/2006	WO	WO-2012/059700	5/2012
EP 2 000 042	12/2008	WO	WO-2012/069983	5/2012
EP 2 255 692	12/2010	WO	WO-2012/076885	6/2012
EP 2 392 223	12/2011	ate . * ·	11	
EP 2 401 939	1/2012	" cite	d by examiner	

US D715,996 S

**U.S. Patent** Oct. 21, 2014 Sheet 1 of 6




Fig. 1

Oct. 21, 2014

Sheet 2 of 6




Fig. 2

Oct. 21, 2014

Sheet 3 of 6




Fig. 3

Oct. 21, 2014

Sheet 4 of 6




Fig. 4

Oct. 21, 2014

Sheet 5 of 6




Fig. 5

U.S. Patent Oct. 21, 2014 Sheet

Sheet 6 of 6




Fig. 6




Fig. 7